



C55 Hydraulic Tipping



Content filters: validity 03/07/2020






















03/07/2020


This page is intentionally left blank.
















C55-RI - C55 Hydraulic Tipping.....	4
CRD.20.901.0 - Frame.....	6
CRD.20.902.0 - Dashboard / Bodywork.....	8
CRD.20.903.0 - Engine / Pump.....	10
CRD.20.904.0 - Transmission.....	12
CRD.20.905.0 - Wheels and Rollers.....	14
CRD.20.907.0 - Gruppo Cassone.....	18
CRD.20.908.0 - Hydraulic System (Tank).....	20
CRD.20.909.0 - Impianto Idraulico (Trazione).....	22
CRD.20.910.0 - Impianto Idraulico (Servizi) RI.....	24
CRD.20.911.0 - Cooling System.....	26
Components index.....	30


Pos.	Description
Tav. 1	Frame
Tav. 2	Dashboard / Bodywork
Tav. 3	Engine / Pump
Tav. 4	Transmission
Tav. 5	Wheels and Rollers
Tav. 7	Gruppo Cassone
Tav. 8	Hydraulic System (Tank)
Tav. 9	Impianto Idraulico (Trazione)
Tav. 10	Impianto Idraulico (Servizi) RI
Tav. 11	Cooling System



















Purch.	Pos.	Code	Q.ty	Description	Specifications	Notes
	1	C3100.00.01	1	Frame	RI/AC	
	1a	C3100.01.01	1	Frame	HI/HIAC	
	2	C0280.00.04	4	Shackle	7/16"	
	3	C3100.07.01	1	Footboard		
	4	C3100.04.02	2	Slide Plate		
	5	C7081.03.02	2	Cover		
	6	C0190.32.03	12	Flange Hex Head Cap Screw	M6x20	
	7	C0189.01.02	12	Reduce Head Full Hexagon Body Insert Nut	M6	
	9	C0190.25.05	2	Hex Head Cap Screw	M12x40	
	10	C0192.01.12	4	Flat washer	M12	
	11	C3100.07.06	2	Hinge		
	12	C0191.01.26	2	Self-locking nut	M12	
	13	C3000.27.04	1	Footboard blocker		
	13a	C3000.27.07	1	Split Ring		
	13b	C3000.27.02	1	Body		
	13c	C3000.27.06	1	Spring		
	13d	C3000.27.03	1	Pin		
	14	C0190.03.14	2	Hexagon Socket Head Cap Screw	M8x110	
	15	C0097.09.07	2	Washer w/ Guide		
	16	C0097.00.01	2	Spring		
	17	C0191.01.24	2	Self-locking nut	M8	



















Purch.	Pos.	Code	Q.ty	Description	Specifications	Notes
	1	C3160.01.03	1	Dashboard		
	2	C3160.03.02	1	Console ABS	2 levers	Versione RI - RI version
	2	C3160.03.03	1	Console ABS	3 levers	Versione AC e HI - AC / HI version
	2	C3160.03.04	1	Console ABS	4 levers	Versione HIAC - HIAC version
	3	C3260.13.16	1	Handle		Tempo per la sostituzione: 0h 15m
	4	C3160.06.06	1	ABS Cover L		
	5	C3160.06.07	1	ABS Cover R		
	6	C3100.02.07	1	Front Cover		
	7	C3100.02.16	1	ABS Tank protection	RI vers.	
	7a	C3100.02.15	1	ABS Tank protection	HI/HIAC vers.	
	8	C3100.02.01	2	Upper Lateral Cover		
	9	C3100.02.03	2	Lower Lateral Cover		
	10	C3100.00.03	1	Protection		
	11	C3010.04.02	1	Cap		
	12	C0192.10.08	4	Rondella spessorata quadrata	M8x30x5	
	13	C3160.01.08	1	Protection		




Purch.	Pos.	Code	Q.ty	Description	Specifications	Notes
	1	C1258	1	Engine (Honda) GX 200		
	2	C1254.00.07	1	Bell Housing CPT		
	2a	C1254.90.07	1	Bell housing GX200 6 holes		
	2b	C1254.90.10	1	Joint Pump		
	2c	C1254.90.32	1	Gear Coupling Sleeve	C650D/S60	
	2d	C1254.90.22	1	Joint Engine		
	3	C3120.04.24	1	Hydraulic Pump	3-1	Tempo per la sostituzione: 1h 00m
	4	C3110.03.02	1	Rear Engine Support		Tempo di sostituzione: 1h
	5	C3110.03.01	1	Front Engine Support		
	6	C3110.04.01	1	Heat Shield		
	7	C3110.04.91	1	Inside Covering		
	8	C3110.04.09	1	Bracket		
	9	C1128.00.92	1	Oil Dipstick	255	
	10	C1119	4	Anti-Vibration mount	Ø46 h22 68	Replacement time: 0h 15m
	11	C3110.04.08	1	Muffler Exhaust		






Purch.	Pos.	Code	Q.ty	Description	Specifications	Notes
	1	C1074.00.26	2	Hydraulic Motor	C55 / C6.60	
	1CKG	C1074.00.06.KG	2	Engine Gaskets Kit	C6.50 / C55 / C6.60	
	1a	C1023	1	Parallel Key	10x8x20	
	2	C3220.14.02	2	Valve		
	3	C0192.01.12	8	Flat washer	M12	
	4	C1074.90.02		Spacer	1mm	
	4	C1074.90.04		Spacer	1.5mm	
	5	C0190.25.04	8	Hex Head Cap Screw	M12x35	
	6	C3040.10.00	1	Drive Sprocket hub	C55 / S60	
	7	C3040.09.51	1	Drive Sprocket	C55 / S60	Tempo per la sostituzione: 0h 30m
	8	C0190.34.04	5	Flange Hex Head Cap Screw	M10x30	
	9	C3040.11.20	2	Rubber Track	180x60x44	Tempo per la sostituzione: 0h 15m
	10	C2012.00.02	2	Washer	M8x48x8	
	11	C2088	2	Flange Hex Head Cap Screw	M8x25	
	12	C0190.04.09	4	Hexagon Socket Head Cap Screw	M10x50	























Purch.	Pos.	Code	Q.ty	Description	Specifications	Notes
	1	C1036.01.00	16	Fender Washer		
	2	C1068	20	Ball Bearing		
	3	C1035.00.54	2	Idler Wheel	6	
	4	C1304.01.12	2	Nut for tensioner		
	5	C1304.01.11	2	Tensioner		
	6	C1304.01.27	2	Idler Wheel Support w/ Spring	C55	
	7	C2027.00.01	4	Set Screw	M8x10	
	8	C1135	2	Axle Shaft	Ø20	
	9	C2025	10	Self-locking nut fine thread	M20	
	10	C2004	22	Flat washer	Ø20 ZN	
	11	C1036.00.50	8	Roller		
	12	C1046	8	Spacer		
	13	C2071.00.04	6	Pin w/greaser	M20x200	
	14	C1047	12	Grease nipple	M6	
	15	C3240.05.00	2	Oscillating Support		
	16	C3040.06.00	2	Spacer		
	17	C1035.03.05	8	Spacer	h=10	
	18	C2071.00.02	4	Pin w/greaser	M20x180	
	19	C3140.01.10	2	Oscillating Group cpt		
	20	C1035.03.04	4	Spacer	h=8	
	21	C1046.00.02	2	Spacer		
	22	C0192.06.12	4	Shim washer	sp. 1,5 mm	
	23	C1036.05.03	4	Fender Washer	Ø65	
	24	C1304.01.23	2	Central Support		
	25	C0097.09.10	4	Spring Group		
	25a	C0190.03.14	4	Hexagon Socket Head Cap Screw	M8x110	
	25b	C0097.09.12	4	Washer		
	25c	C0097.04.12	4	Spring		
	25d	C0097.09.01	4	Threaded Washer		




Purch.	Pos.	Code	Q.ty	Description	Specifications	Notes
	25e	C2029.00.01	4	Set Screw	M6x6 Cone Point	
	26	C1304.01.24	4	Lateral Support		
























Purch.	Pos.	Code	Q.ty	Description	Specifications	Notes
	1	C3130.16.00	1	Dump body	RI	
	2	C0502.20.07	2	Pivot Pin	Ø20x75	
	3	C0501.20.40	2	Plate	Ø20-40	
	4	C0190.33.02	4	Flange Hex Head Cap Screw	M8x20	
	5	C0191.01.14	8	Flange nut	M8	
	6	C0094.01.01	4	Grease nipple	M6	
	7	C1106.00.16	1	Hydraulic Cylinder		Tempo per la sostituzione: 2h 00m
	8	C0502.16.08	1	Pivot Pin	Ø16x83	
	9	C0501.16.40	2	Plate	Ø16-40	
	10	C0502.16.07	1	Pivot Pin	Ø16x70	
	11	C9030.39.12	2	Nylon Pad		
	12	C0190.03.01	4	Hexagon Socket Head Cap Screw	M8x25	
	13	C9030.39.15	0	Spacer	1mm	
	13	C9030.39.16	0	Spacer	1,5mm	
	14	C3030.41.03	1	Safety device dump body	55 RI	
	15	C1052.00.13	1	Knob	M6x25	
	16	C2047	1	Hexagon Socket Head Cap Screw	M6x16	
	17	C0192.01.20		Flat Washer	M20	
	17	C0192.06.11		Shim washer	sp. 1 mm	





















Purch.	Pos.	Code	Q.ty	Description	Specifications	Notes
	1	C1097.00.04	1	Vented Dipstick	L=160	
	3	C3050.04.11	1	Hydraulic Strainer Ø102	1"	
	4	C0020.11.11	1	Reduction	3/4" - 1"	
	5	C0020.06.07	1	Bonded Seal	1"	
	6	C3150.01.96	1	Spout	Ø19	
	7	C0190.02.05	4	Vite T.C.E.I.	M6x30	
	8	C1650.01.15	1	Hydraulic Strainer	1 1/4" - 1/2"	
	9	C3150.01.97	1	Suction Flange		
	10	C0091.03.02	1	O-Ring	OR130	
	11	C0091.03.03	1	O-Ring	OR2-140	
	12	C3150.01.10	1	Tank		
	13	C0190.32.03	7	Flange Hex Head Cap Screw	M6x20	
	14	C3150.01.11	1	Fixing strip		
	15	C3150.01.12	1	Gasket		
	16	C0020.06.09	1	Bonded Seal	1-1/4"	
	17	C1650.01.15.a	1	Hydraulic Strainer	1 1/4" - 3/4"	
	18	C3150.01.95	1	Inlet tube		
	19	C3150.01.09	1	Gasket		
	20	C0191.04.16	2	Dowel Barrel Nut	M8x30	
	21	C0192.01.08	2	Flat washer	M8	
	22	C0190.23.06	2	Hex Head Cap Screw	M8x40	
	23	C0020.06.06	1	Bonded Seal	3/4"	
	24	C0020.16.71	1	Reduction	M1/2" - F3/4"	




Purch.	Pos.	Code	Q.ty	Description	Specifications	Notes
	1	C1130.10.01	1	Rubber hose 50cm	Ø18-26	
	2	C1127.39.04	2	Clamp	Ø20-32	
	3	C0020.52.66	1	90° BSPP Female Compact Elbow 60* cone	3/4"	
	4	C0020.01.06	1	Nipple	3/4" MM	
	5	C0020.06.06	1	Bonded Seal	3/4"	
	6	C0020.06.03	7	Bonded Seal	3/8"	
	7	C0020.01.03	8	Nipple	3/8" MM	
	8	C3120.10.12	2	Hydraulic Tube	F90 3/8" - Eye 3/8"	
	9	C3120.10.13	1	Hydraulic Tube	F90 3/8" - F45 3/8"	
	10	C0020.07.03	2	Banjo bolt	3/8"	
	11	C3120.10.10	2	Hydraulic Tube	F90 3/8" - F45 3/8"	
	12	C3120.10.11	2	Hydraulic Tube	F90 3/8" - F45 3/8"	
	13	C0020.14.33	4	90° Adjustable Elbow Connector	3/8" MM	
	14	C3020.43.00	1	Spacer		
	15	C0190.33.01	1	Flange Hex Head Cap Screw	M8x16	
	16	C2031	3	Nut	M8	
	17	C1120.00.03	3	Rubber Bellow	Ø10	
	18	C1189.06.06	2	Lever	160 mm Ø10	
	20	C1053.10.02	2	Ergonomic Knob	Ø10	
	21	C1053	1	Knob		



Purch.	Pos.	Code	Q.ty	Description	Specifications	Notes
	1	C3220.01.04	1	4 Levers Distributor		
	2	C2031	1	Nut	M8	
	3	C1120.00.02	1	Rubber Bellow	Ø10	
	4	C1189.06.04	1	Lever	140 mm Ø10	
	5	C1053	1	Knob		
	6	C3160.04.02	1	Bracket	R	
	7	C3160.04.01	1	Bracket	L	
	8	C0190.33.02	8	Flange Hex Head Cap Screw	M8x20	
	9	C0189.01.03	4	Reduce Head Full Hexagon Body Insert Nut	M8	
	10	C0191.01.14	4	Flange nut	M8	
	11	C0020.06.03	2	Bonded Seal	3/8"	
	12	C0020.02.03	2	Reduction	3/8" - 1/4" MM	
	13	C3120.10.16	2	Hydraulic Tube	F45 1/4" - Eye 1/4"	
	14	C0020.06.02	5	Bonded Seal	1/4"	
	15	C0020.37.23	2	Oil Restrictor	Ø 1,0-M8x8	
	16	C0020.07.42	2	Banjo bolt for Oil Restrictor	1/4"	
	17	C0020.16.02	1	Hydraulic Extension Adaptor	1/4"	



Purch.	Pos.	Code	Q.ty	Description	Specifications	Notes
	1	C3020.13.04	1	Radiator		Replacement time: 1h 00m
	2	C3020.24.05	1	Electric Fan	F17-12C003-1S WPC	
	3	C3020.24.94	1	Fan Shield		
	4	C3020.25.01	1	Dynamo		
	5	C3020.25.18	1	Dynamo ring		
	6	C3020.25.08	1	Dynamo bracket		
	7	C0192.01.08	1	Flat washer	M8	
	8	C0189.12.10	1	Slotted Spring Pin	Ø2,5x10	
	9	C3020.25.07	1	Dynamo Pulley		
	10	C0090.07.00	1	Seeger Ring for shafts	A 8	
	11	C3020.25.06	1	Pulley		
	12	C3020.25.09	1	Belt		
	13	C3020.25.05	1	Belt Protection		
	14	C3120.10.15	1	Hydraulic Tube	F90 3/8" - F45 1/2"	
	15	C0020.06.03	4	Bonded Seal	3/8"	
	16	C0020.01.03	2	Nipple	3/8" MM	
	17	C0020.03.03	1	Plug	3/8"	
	18	C0020.16.13	1	Hydraulic Extension Adaptor	3/8"	
	19	C3120.10.14	1	Hydraulic Tube	F90 3/8" - F45 1/2"	
	20	C0020.01.04	1	Nipple	1/2" MM	
	21	C0020.06.04	1	Bonded Seal	1/2"	
	22	C0190.45.51	7	Pan head tapping screw with flange	4,2x13	
	23	C0190.52.03	2	Hexagon Socket Button Head Cap Screw	M6x16	
	24	C0192.03.06	6	Plastic washer	M6	
	25	C0020.39.63	1	Hydraulic Extension Adaptor Female - Female	M6xh20 F-F	
	26	C0190.02.04	6	Hexagon Socket Head Cap Screw	M6x25	
	27	C0191.01.73	6	Self-locking nut thin	M6	
	28	C0191.01.13	1	Flange nut	M6	
	29	C0190.32.03	1	Flange Hex Head Cap Screw	M6x20	



Purch.	Pos.	Code	Q.ty	Description	Specifications	Notes
	30	C0192.01.06	7	Flat washer	M6	

Code	Parts Table	Pos.	Q.ty
C0020.01.03	CRD.20.909.0	7	8
	CRD.20.911.0	16	2
C0020.01.04	CRD.20.911.0	20	1
C0020.01.06	CRD.20.909.0	4	1
C0020.02.03	CRD.20.910.0	12	2
C0020.03.03	CRD.20.911.0	17	1
C0020.06.02	CRD.20.910.0	14	5
C0020.06.03	CRD.20.909.0	6	7
	CRD.20.910.0	11	2
	CRD.20.911.0	15	4
C0020.06.04	CRD.20.911.0	21	1
C0020.06.06	CRD.20.908.0	23	1
	CRD.20.909.0	5	1
C0020.06.07	CRD.20.908.0	5	1
C0020.06.09	CRD.20.908.0	16	1
C0020.07.03	CRD.20.909.0	10	2
C0020.07.42	CRD.20.910.0	16	2
C0020.11.11	CRD.20.908.0	4	1
C0020.14.33	CRD.20.909.0	13	4
C0020.16.02	CRD.20.910.0	17	1
C0020.16.13	CRD.20.911.0	18	1
C0020.16.71	CRD.20.908.0	24	1
C0020.37.23	CRD.20.910.0	15	2
C0020.39.63	CRD.20.911.0	25	1
C0020.52.66	CRD.20.909.0	3	1
C0090.07.00	CRD.20.911.0	10	1
C0091.03.02	CRD.20.908.0	10	1
C0091.03.03	CRD.20.908.0	11	1
C0094.01.01	CRD.20.907.0	6	4
C0097.00.01	CRD.20.901.0	16	2
C0097.04.12	CRD.20.905.0	25c	4

Code	Parts Table	Pos.	Q.ty
C0097.09.01	CRD.20.905.0	25d	4
C0097.09.07	CRD.20.901.0	15	2
C0097.09.10	CRD.20.905.0	25	4
C0097.09.12	CRD.20.905.0	25b	4
C0189.01.02	CRD.20.901.0	7	12
C0189.01.03	CRD.20.910.0	9	4
C0189.12.10	CRD.20.911.0	8	1
C0190.02.04	CRD.20.911.0	26	6
C0190.02.05	CRD.20.908.0	7	4
C0190.03.01	CRD.20.907.0	12	4
C0190.03.14	CRD.20.901.0	14	2
	CRD.20.905.0	25a	4
C0190.04.09	CRD.20.904.0	12	4
C0190.23.06	CRD.20.908.0	22	2
C0190.25.04	CRD.20.904.0	5	8
C0190.25.05	CRD.20.901.0	9	2
C0190.32.03	CRD.20.901.0	6	12
	CRD.20.908.0	13	7
	CRD.20.911.0	29	1
C0190.33.01	CRD.20.909.0	15	1
C0190.33.02	CRD.20.907.0	4	4
	CRD.20.910.0	8	8
C0190.34.04	CRD.20.904.0	8	5
C0190.45.51	CRD.20.911.0	22	7
C0190.52.03	CRD.20.911.0	23	2
C0191.01.13	CRD.20.911.0	28	1
C0191.01.14	CRD.20.907.0	5	8
	CRD.20.910.0	10	4
C0191.01.24	CRD.20.901.0	17	2
C0191.01.26	CRD.20.901.0	12	2
C0191.01.73	CRD.20.911.0	27	6

Code	Parts Table	Pos.	Q.ty
C0191.04.16	CRD.20.908.0	20	2
C0192.01.06	CRD.20.911.0	30	7
C0192.01.08	CRD.20.908.0	21	2
	CRD.20.911.0	7	1
C0192.01.12	CRD.20.901.0	10	4
	CRD.20.904.0	3	8
C0192.01.20	CRD.20.907.0	17	
C0192.03.06	CRD.20.911.0	24	6
C0192.06.11	CRD.20.907.0	17	
C0192.06.12	CRD.20.905.0	22	4
C0192.10.08	CRD.20.902.0	12	4
C0280.00.04	CRD.20.901.0	2	4
C0501.16.40	CRD.20.907.0	9	2
C0501.20.40	CRD.20.907.0	3	2
C0502.16.07	CRD.20.907.0	10	1
C0502.16.08	CRD.20.907.0	8	1
C0502.20.07	CRD.20.907.0	2	2
C1023	CRD.20.904.0	1a	1
C1035.00.54	CRD.20.905.0	3	2
C1035.03.04	CRD.20.905.0	20	4
C1035.03.05	CRD.20.905.0	17	8
C1036.00.50	CRD.20.905.0	11	8
C1036.01.00	CRD.20.905.0	1	16
C1036.05.03	CRD.20.905.0	23	4
C1046	CRD.20.905.0	12	8
C1046.00.02	CRD.20.905.0	21	2
C1047	CRD.20.905.0	14	12
C1052.00.13	CRD.20.907.0	15	1
C1053	CRD.20.909.0	21	1
	CRD.20.910.0	5	1
C1053.10.02	CRD.20.909.0	20	2

Code	Parts Table	Pos.	Q.ty
C1068	CRD.20.905.0	2	20
C1074.00.06.KG	CRD.20.904.0	1CKG	2
C1074.00.26	CRD.20.904.0	1	2
C1074.90.02	CRD.20.904.0	4	
C1074.90.04	CRD.20.904.0	4	
C1097.00.04	CRD.20.908.0	1	1
C1106.00.16	CRD.20.907.0	7	1
C1119	CRD.20.903.0	10	4
C1120.00.02	CRD.20.910.0	3	1
C1120.00.03	CRD.20.909.0	17	3
C1127.39.04	CRD.20.909.0	2	2
C1128.00.92	CRD.20.903.0	9	1
C1130.10.01	CRD.20.909.0	1	1
C1135	CRD.20.905.0	8	2
C1189.06.04	CRD.20.910.0	4	1
C1189.06.06	CRD.20.909.0	18	2
C1254.00.07	CRD.20.903.0	2	1
C1254.90.07	CRD.20.903.0	2a	1
C1254.90.10	CRD.20.903.0	2b	1
C1254.90.22	CRD.20.903.0	2d	1
C1254.90.32	CRD.20.903.0	2c	1
C1258	CRD.20.903.0	1	1
C1304.01.11	CRD.20.905.0	5	2
C1304.01.12	CRD.20.905.0	4	2
C1304.01.23	CRD.20.905.0	24	2
C1304.01.24	CRD.20.905.0	26	4
C1304.01.27	CRD.20.905.0	6	2
C1650.01.15	CRD.20.908.0	8	1
C1650.01.15.a	CRD.20.908.0	17	1
C2004	CRD.20.905.0	10	22
C2012.00.02	CRD.20.904.0	10	2

Code	Parts Table	Pos.	Q.ty
C2025	CRD.20.905.0	9	10
C2027.00.01	CRD.20.905.0	7	4
C2029.00.01	CRD.20.905.0	25e	4
C2031	CRD.20.909.0	16	3
	CRD.20.910.0	2	1
C2047	CRD.20.907.0	16	1
C2071.00.02	CRD.20.905.0	18	4
C2071.00.04	CRD.20.905.0	13	6
C2088	CRD.20.904.0	11	2
C3000.27.02	CRD.20.901.0	13b	1
C3000.27.03	CRD.20.901.0	13d	1
C3000.27.04	CRD.20.901.0	13	1
C3000.27.06	CRD.20.901.0	13c	1
C3000.27.07	CRD.20.901.0	13a	1
C3010.04.02	CRD.20.902.0	11	1
C3020.13.04	CRD.20.911.0	1	1
C3020.24.05	CRD.20.911.0	2	1
C3020.24.94	CRD.20.911.0	3	1
C3020.25.01	CRD.20.911.0	4	1
C3020.25.05	CRD.20.911.0	13	1
C3020.25.06	CRD.20.911.0	11	1
C3020.25.07	CRD.20.911.0	9	1
C3020.25.08	CRD.20.911.0	6	1
C3020.25.09	CRD.20.911.0	12	1
C3020.25.18	CRD.20.911.0	5	1
C3020.43.00	CRD.20.909.0	14	1
C3030.41.03	CRD.20.907.0	14	1
C3040.06.00	CRD.20.905.0	16	2
C3040.09.51	CRD.20.904.0	7	1
C3040.10.00	CRD.20.904.0	6	1
C3040.11.20	CRD.20.904.0	9	2

Code	Parts Table	Pos.	Q.ty
C3050.04.11	CRD.20.908.0	3	1
C3100.00.01	CRD.20.901.0	1	1
C3100.00.03	CRD.20.902.0	10	1
C3100.01.01	CRD.20.901.0	1a	1
C3100.02.01	CRD.20.902.0	8	2
C3100.02.03	CRD.20.902.0	9	2
C3100.02.07	CRD.20.902.0	6	1
C3100.02.15	CRD.20.902.0	7a	1
C3100.02.16	CRD.20.902.0	7	1
C3100.04.02	CRD.20.901.0	4	2
C3100.07.01	CRD.20.901.0	3	1
C3100.07.06	CRD.20.901.0	11	2
C3110.03.01	CRD.20.903.0	5	1
C3110.03.02	CRD.20.903.0	4	1
C3110.04.01	CRD.20.903.0	6	1
C3110.04.08	CRD.20.903.0	11	1
C3110.04.09	CRD.20.903.0	8	1
C3110.04.91	CRD.20.903.0	7	1
C3120.04.24	CRD.20.903.0	3	1
C3120.10.10	CRD.20.909.0	11	2
C3120.10.11	CRD.20.909.0	12	2
C3120.10.12	CRD.20.909.0	8	2
C3120.10.13	CRD.20.909.0	9	1
C3120.10.14	CRD.20.911.0	19	1
C3120.10.15	CRD.20.911.0	14	1
C3120.10.16	CRD.20.910.0	13	2
C3130.16.00	CRD.20.907.0	1	1
C3140.01.10	CRD.20.905.0	19	2
C3150.01.09	CRD.20.908.0	19	1
C3150.01.10	CRD.20.908.0	12	1
C3150.01.11	CRD.20.908.0	14	1

Components index

Code	Parts Table	Pos.	Q.ty
C3150.01.12	CRD.20.908.0	15	1
C3150.01.95	CRD.20.908.0	18	1
C3150.01.96	CRD.20.908.0	6	1
C3150.01.97	CRD.20.908.0	9	1
C3160.01.03	CRD.20.902.0	1	1
C3160.01.08	CRD.20.902.0	13	1
C3160.03.02	CRD.20.902.0	2	1
C3160.03.03	CRD.20.902.0	2	1
C3160.03.04	CRD.20.902.0	2	1
C3160.04.01	CRD.20.910.0	7	1
C3160.04.02	CRD.20.910.0	6	1
C3160.06.06	CRD.20.902.0	4	1
C3160.06.07	CRD.20.902.0	5	1
C3220.01.04	CRD.20.910.0	1	1
C3220.14.02	CRD.20.904.0	2	2
C3240.05.00	CRD.20.905.0	15	2
C3260.13.16	CRD.20.902.0	3	1
C7081.03.02	CRD.20.901.0	5	2
C9030.39.12	CRD.20.907.0	11	2
C9030.39.15	CRD.20.907.0	13	0
C9030.39.16	CRD.20.907.0	13	0